



LED distribution revendeur exclusif LUMAN pour la France


410 avenue Janvier Passero

06210 MANDELIEU

Tél: 04 92 97 00 00

[www.leddistribution.fr](http://www.leddistribution.fr)

[contact@leddistribution.fr](mailto:contact@leddistribution.fr)

Three large, stylized green diamonds are arranged in a triangular pattern on the left side of the page. The top diamond is a lighter shade of green, while the two bottom diamonds are a darker shade.

**LUMAN**  
illuminating the greens

# LED LIGHTING LIGHT FIXTURE

R110 High Bay  
Gimbal 6"  
R80c  
The Next Core UFO  
Piso R110 Ceiling Lamp  
Light Strip  
Appollo Lattice Series Pandora High  
Pandora Shop Lighter Series  
Thin Panel R110 Nova 2 Appollo UFO  
Low Bay R80c  
R80c  
Shop Lighter Series  
Core UFO  
Ripple  
The Next  
High Bay Light Bar Low Bay R80c High Bay  
Lattice Series Gimbal 6"  
Pandora R80c  
Appollo R80c  
Core UFO  
NOVA 2  
Pandora  
Thin Panel R110  
R110 Flood Light  
Appollo Light Bar  
R80c  
The Next  
Gimbal 6"



# LUMAN

## [NOVA 2]

### Tri-Proof LED Lamp Series




**LUMAN NOVA 2** is a new generation lighting for interior car park or any indoor public area! Save energy! Excellent heat dissipation! Options of motion sensor and backup battery transform this ordinary luminaire into smart energy saving light and emergency light!



- **ALL IN ONE** : With Sensor AND Emergency options
- **LUMAN** guarantee with 5-year warranty
- High Efficiency with 130lm/W, super high brightness and effective
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified IP65 rated waterproof batten

# Batten



# Batten

Upside plug-in, for AC installation, easy go!

# Connect




# Connect

LUMAN's special design of flex & plug connection enable you to spend less time on installing the fixture for both vertical and horizontal positions. Connect up to 50pcs in series with a single 220v input!




# Optional Functions

## Sensor



### 1. Single

Built-in 5.8GHz Microwave motion sensor ensures that light is provided only when needed, saving more energy, 10 meters far away detection.



### 2. Network

Operated by external master sensor. The lights only work and dim in series at the same time within 20 meters range. The best energy management and saving.

## Emergency

Built-in battery gear for 120/180mins  
10w discharge for emergency purpose



2 / 3 Hours  
30% Brightless



# Specification

Input Voltage	220-240V	
Length	2ft	4ft
Power Consumption	15W	15W / 30W
Luminous	120lm/w	130lm/w (Max.)
Color Temperature	3000K / 4000K / 5500K	
Dimmable	Non-Dimmable / Sensor Dimming	
Cover	Milky / Clear	
Sensor Modules	Internal Single / External Network	
Emergency Modules	12v 2000mAH N/MH batteries with converter	
IP Rating	IP65	

## Size

77mm(Without Clip)  
85mm(With Clip)



2ft      600mm  
4ft      1200mm



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [Pandora]

### Recessed Down Light



**LUMAN Pandora** is replacing Metal Halide lamp, it perfectly fits with all traditional AR111 recessed fixtures! Available in various angles and use of high power COB LED - your ideal and reliable Halide Lamp retrofit!



- The Highest efficiency LED **COB AR111** Gear
- Quality LED driver with 5-year warranty
- 30W low power consumption with 2600lm high brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified Pre-wired with flex and Plug for Quick installation



## Unibody Design

A compact single unit, finished perfectly with a smooth, seamless surface.




## Size

Pandora Gear can fit with most of the traditional AR111 fixtures



## Effective Heat Sink

Well design heat sink with extra long life time and LED chip L70 hours



## High Power LED

COB module provides high lumen output for 70W metal halide AR111 replacement and CRI 83 / 93 options for perfect retail lighting

## Double Reflector & Various beam angle

LUMAN patent design 'Duo' reflector provides 50% higher centre LUX for spot light than most of the LED spot lamps



## [Pandora] Recessed Down Light



### Specification

Input Voltage	220-240V ~ 50/60Hz
Power Consumption	30W
Luminous	2800lm
Color Temperature	3000K / 4000K / 5000K
Beam Angle	16° / 25° / 40°
Dimmable	Non Dimmable / Optional for 0~10V or Dali Compatible Dimming Driver
Body Color	Silver
Recommended Size	



\*LUMAN Pandora Gear does not include the AR111 fixture  
 \*\*Pandora Size: 11cm(Dia.) \* 8cm(H) , Cut Hole Size offset 1.5~2cm  
 \*\*\* Triple/forth heads fixture also available



For more information,  
 Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
 or call hotline 852 3909 8600

# LUMAN

## [Lattice]

### High Power Track Lights Series



**LUMAN Lattice** is a classic design with high power and an effective heat sink, ensuring excellent heat dissipation effect whilst retaining aesthetic properties.



- The **Highest efficiency** **CITIZEN** and **SHARP** COB in Track light!  
[Micro-Lumatech](#) MICRO-LED PRODUCTS OF THE AMERICAS
- High quality with up to 5-year warranty
- High efficiency COB LED maximize the power saving for Halogen replacement
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified 2 - 4 Phase track adaptors for different regional usage

# [Lattice] Series

High Power  
Track Lights



**R80C**  
Elegant surface mounted  
track light



**R110**  
Unibody design, finished perfectly with smooth,  
seamless surface.  
Highest power up to 70W LED track light




**R80**  
Simple design for 70W MH replacement



**Various Angle Adjustment**  
35° & 90° tiltable for different Spotlight position.

**Different Reflectors**  
5 different reflectors provide various beam angles for projects-needs



**Effective Heat Sink**  
Perfect working temperature to ensure long lifetime on LED (L70) and driver



# [Lattice] High Power Track Light

## Specification

	R80 / R80C	R80 Meat	R110
Input Voltage		220-240V	
Power Consumption	32W	32W	45W / 60W
CRI	>83   >93	>70	>83   >93
Luminous	90lm/W   75lm/W	2000lm	90lm/W   80lm/W
Color Temperature	3000K / 4000K / 5000K	(Pink) 2000K	3000K / 4000K / 5000K
Beam Angle	19° / 25° / 40° / 50°		19° / 25° / 60°
Dimmable	Non Dimmable		
Body Color			



Matt Black



Matt White



Silver

### Size



# LUMAN

## Shop Lighter Series



[The Next] Shop Lighter

[Appollo] Round Shop Lighter

**LUMAN Shop Lighter Series** are excellent replacement of traditional metal halide lamps. Perfect size and structuring, 100% fits with all retail shops and commercial use!



- The **Brightest** COB Shoplighter in the world !
- LED Driver with 5-year warranty
- High efficiency up to 90lm/w brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified Pre-wired with flex and Plug for Quick installation



## Long Life LED Chip

THE NEXT is using **CITIZEN** Micro HumanTech LED Chip, lumen decay less than 1% per year



## Large Angle Reflector

120° x 60° Reflector providing accurate beam angle

Optional Nano Reflector Version - Less Glare



## Intelligent Clip

Providing a user friendly, easy & quick installation



## Extra Dimension

The round Shop Lighter can cover most down light size in 210mm-240mm cut hole





## Effective Heat Sink Design

Thin aluminium fins provide a large surface area for cooling. It ensures high power LED chip operates at an optimum temperature. Supreme LED life time from TM21 report, L70 > 600,000hrs. LEDs lumens decay less than 5% after 5 years!



## Various Angles Adjustment

Up to 60° angles adjustment for [The Next] Shop Lighter

### Specification

Input Voltage	220-240V		
Power Consumption	28W	42W	60W
Luminous	2600lm	3600lm	5500lm
Color Temperature	3000K / 4000K / 5000K		
Dimmable	Non Dimmable / Optional for 0~10V or Dali Compatible Dimming Driver		

#### Body Color



Matt White  
(Mirror Reflector)



Matt White  
(Nano Reflector)








Matt Black



Gun

#### Size



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [GIMBAL]

### 6" Recessed Down Light



**LUMAN GIMBAL** is a new generation lighting for commercial area! Solid structure design with excellent efficiency - the best lighting solutions for 35/70W metal halide lamp replacement.



- Super high efficiency for luminair lumens up to 90lm/w with CRI>95
- LED Driver powered by **TRIDONIC**, 5-year warranty  
enlightening your ideas
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS

## Solid Structure

Well design solid structure provide changeable  $360^{\circ}+50^{\circ}$  gimbal angle.



## Easy Installation

LED Driver with flex and plug to ensure perfect connective.



## Supreme High Power

With upgrading of CREE LEDs, power can up to 50W with more than 4000lm output.



## Effective Heat Sink Design

Thin Aluminium fins provide a large surface area for cooling.




## [GIMBAL] 6" Recessed Down Light

## Specification

Input Voltage	220 - 240V		
Power Consumption	30W	40W	50W
Luminous	2700lm	3400lm	4000lm
Color Temperature	3000K	4000K	5000K
Dimmable	0-10V / Dali Dimming (Optional)		
Cover	Aluminum + PC		

### Size



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [CORE II] LED COB Down Light



**LUMAN CORE II** is design for MR16 Halogen and Metal Halide Lamp replacement. Save energy! Excellent heat dissipation!



- High brightness with anti-glare of sign comes with different size from 10-40W options.
- Design for 50W MR16 Halogen and 35-70W Metal Halide Lamp replacement
- With high efficiency COB LED with min. 85lm/w
- Environmental friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- LED Driver powered by **TRIDONIC** (5 years warranty)/ **LUMAN** (3 years warranty)
- CE / ENEC (Europe), SAA (Australia) and RoHS certified

**High Power LED**  
High power COB module provides extraordinary of brightness.



**Long Life Structure Design & Drive**  
**CORE II** is using high efficiency LEDs and **LUMAN** or **TRIDONIC** (optional) external driver which can provide >50,000 hours gurantee.





## Perfect Design

Easy and simple, plug and play, various angle reflector options and tiltable up to 15°

## Effective Heat Sink Design

Compact size, but power up to 40W with supreme Cold Forging efficiency heat sink.




LUMAN

[CORE II]  
LED COB Down Light

## Specification

Input Voltage	220-240V
Power Consumption	12W / 15W / 20W / 30W / 40W
Luminous	800lm-850lm / 1100lm-1200lm / 1650lm-1800lm / 2300lm-2500lm / 3300lm-3500lm
Color Temperature	3000K / 4000K / 5000K
Beam Angle	15° / 25° / 40° / 60°
Dimmable	Non-Dimmable
Cover	White

### Size



CB

CE



0%  
MERCURY

RoHS  
compliant



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

## [Piso] Thin Panel Lamp



**LUMAN PISO** is an excellent replacement of traditional CFL T8 fitting. Perfect size and structuring tailor made with different install options. 100% fits with all retail shops and commercial use!



- Brightness from 80 -100 lm/w
- LED Driver powered by **LUMAN** and 3-5 years warranty
- Tailor made wattage from 20w- 60w
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified Pre-wired with flex and Plug for Quick installation



## High Brightness

Based on your budget, we can tailor made efficiency from 80-100 lm/w.



## Thin & Solid Design

Ultra thin and solid design with only less than 11mm thickness.


## Flex and Plug Connector

Easy installation between PISO & transformer. Screw cap fastens and combines the two cables.




## Three Optional Installations


- Recess for ceiling frame



- Suspended with pendent wires



- Surface Mount with **LUMAN** easy track






## Specification

Input Voltage	220-240V	
Driver	<b>LUMAN</b>	<b>TRIDONIC</b>
Power Consumption	30W / 43W	30W / 40W / 50W / 60W
Luminous	80-100 lm/w	
Color Temperature	3000K / 4000K / 5500K	
Dimmable	Optional for 0-10v/ Dali	
Body Color	White	

### Size



More size 295x295mm / 295x595mm or any tailor made size also available



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

LUMAN


# [RIPPLE] SMD LED Down Light



**LUMAN RIPPLE** is an excellent replacement of traditional CFL down light. Save up more than 70% of energy! Be **Green**, be **LUMAN!**



- Design for replacement of **PLC / CFL** down light
- Economic Version with high efficiency as 100lm/w, **CRI>80**
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 35,000 hours lifetime (10 hours per day)
- Complied with SAA (Australia), CE(Europe), and RoHS
- LED driver included



**Intelligent Clip**  
 Providing a user friendly,  
 easy & quick installation



Job Reference:  
 Dubai Metro RTA, Dubai 2014


**Effective Heat Sink**  
 Perfect working temperature to  
 ensure long lifetime on LED (L70)  
 and driver




# Specification

Input Voltage	220-240V / ~AC 50/60Hz
Power Consumption	15W / 20W / 23W / 27W
Luminous	100lm/w
Color Temperature	3000K / 4000K /5500K
Dimmable	Non-Dimmable / Triac and leading edge dimming
Cover	Polycarbonate


## Size



15W / 20W



15W / 20W



23W / 27W



For more information,  
 Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
 or call hotline 852 3909 8600



# LUMAN



## [UFO] Ceiling Lamp

**LUMAN UFO** is an excellent replacement of traditional CFL Ceiling lamp. Save up more than 70% of energy! Be **Green**, be **LUMAN!**




- The **Brightest** LED Ceiling Lamp in the market!
- LED Driver powered by **TRIDONIC**, 5-year warranty  
enlightening your ideas
- 24W low power consumption with 2000lm
- High brightness up to 85lm per wattage.
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified connector for Quick installation

## [UFO]

### Ceiling Lamp

With Motion Sensor (Optional)





30% Lumen Output

100% Lumen Output

## Specification

Input Voltage	220-240V
Power Consumption	10W / 18W / 24W
Luminous	900lm / 1500lm / 2000lm
Color Temperature	3000K / 4000K / 5500K
Dimmable	Non Dimmable
Sensor (Optional)	5 GHz Motion Sensor Detection

### Size



# LUMAN

## [LIGHT BAR] LED Line Light



**LUMAN LIGHT BAR** is a new high brightness LED profile to replace traditional T8/T5 CFL tubes. It is well suited for any indoor environment.

---




- Low maintenance cost, quality materials providing 35,000 hours using lifetime
- Input voltage: 24V DC and supported with 5 meters connection
- High efficiency by saving 60% energy compares to the T5/T8 fluorescent tube
- High quality and stable, LED with no flickering, protect eyes effectively
- Low power consumption and high intensity
- Environmental friendly: without mercury, Ultraviolet(UV) and infra-red light
- SAA (Australia), CE (Europe), and RoHS certified



**Effective Connector**  
Connectable with male and female plug for other side of strip


**Plug & Go**  
No need to warm up



## Specification

Input Voltage	24V~DC
Length	30cm / 60cm / 90cm / 120cm
Power Consumption	4W / 8W / 12W / 14W
Lumens	100lm/W
Color Temperature	3000K / 4000K / 5500K
Beam Angle	120°
CRI	>85
Cover	Polycarbonate

### Size



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## Flood Light



**LUMAN Flood Light** is a new generation lighting for carpark or any outdoor public area! Super high bright and save up to 70% energy! Excellent heat dissipation!



- Tailor made from 70W-150W low power up to 110lm/w
- LED Driver powered by 
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing minimum 50,000 hours lifetime (Using LG high power LED chip)
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified IP65 rated waterproof

Super High Brightness  
LED Chip drive up to 110lm/w efficiency



Simple Style  
Cover made of reinforced glass, IP65 rated waterproof guarantee

# LUMAN

## Flood Light

Effective Heat Sink  
Simple style plus high efficient heat sink structure design



## Specification

Input Voltage	220 - 240V
Power Consumption	50W - 150W
Luminous	110lm/w
Color Temperature	3000K / 4000K / 5500K
Body Color	Black
Beam Angle	120°
Dimmable	Non-Dimmable
Sensor (optional)	Network wireless control with RF Sensor, for 0-10v dimming, up to 90% energy saving.



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## Low Bay



**LUMAN Low Bay** is a new generation lighting for interior carpark or any indoor public area! Save energy! Excellent heat dissipation!



- With **Intelligent Sensor** option, save up to 90% power
- LED Driver powered by 
- High Efficiency up to 130lm/w, super high brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing minimum 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified IP65 rated waterproof

# LUMAN

## Low Bay



**High Brightness**  
5w LED Chip drive up to  
130lm/w efficiency



**Effective Heat Sink**

Maintains its extra life time for LEDs  
up to 100,000 hours and low lumens drop

## Specification

Input Voltage	220 - 240V
Power Consumption	70W / 120W
Luminous	9000lm / 15000lm
Color Temperature	3000K / 4000K / 5000K
Body Color	Black
Beam Angle	100°
Sensor (optional)	Network wireless control with RF Sensor, for 0-10v dimming, up to 90% energy saving.



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600



# LUMAN

## High Bay



**LUMAN High Bay** is a new generation lighting for warehouses, factories and outdoor public areas! Save energy, with extra long life time!



- With **Intelligent Sensor** option, save up to 90% power
- LED Driver powered by 
- High Efficiency up to 130lm/w, super high brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing minimum 50,000 hours lifetime
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified IP65 rated waterproof



## High Brightness

5w LED Chip drive up to 130lm/w efficiency




## RF Motion Sensor

Intelligent network controls save up to 90% energy.

## Effective Heat Sink

Maintains its extra life time for LEDs up to 100,000 hours and low lumens drop.



# Specification

Input Voltage	220 - 240V
Power Consumption	70W / 120W
Luminous	9000lm / 15000lm
Color Temperature	3000K / 4000K / 5000K
Body Color	Silver / Black
Reflector	25° / 60° / 90° / 120°
Sensor (optional)	Network wireless control with RF Sensor, for 0-10v dimming, up to 90% energy saving.



For more information,  
 Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
 or call hotline 852 3909 8600

LED LIGHTING  
**LIGHTSOURCE**



# LUMAN

## [LAUD] LED T8 Tube



**LUMAN LAUD** is a new high brightness LED T8 series to replace traditional T8 CFL tubes. It is well suited for any indoor environment.



- SAA (Australia), CE (Europe), and RoHS certified
- Input voltage: 220 - 240VAC. (with built-in driver)
- High Efficiency by saving 60% energy compares to the T8 fluorescent tube
- High Quality and Stable, LED with no flickering, protect eyes Effectively
- Plug and go, no need to warm up
- Low power consumption and high intensity
- Environmental friendly: without mercury, Ultraviolet(UV) and infra-red light
- Low maintenance cost, quality materials providing 25,000 hours using lifetime

# LUMAN [LAUD] LED T8 Tube




With Luman Starter  
Embed fuse for protection  
(Single End Version)




## Specification

Input Voltage	220-240V
Length	2ft / 4ft / 5ft
Power Consumption	10W / 18W / 25W
Lumens	120lm/W
Color Temperature	3000K / 4000K / 5500K
Beam Angle	120°
CRI	>83
Cover	Polycarbonate
Base	G13(T8)
Size	



Dia. 26mm



2ft / 4ft / 5ft



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [ECO] LED T8 Tube Econ. Ver.



**LUMAN ECO** is a economic version of LED T8 series to replace traditional T8 CFL tubes. It is well suited for any indoor environment.

---




- CE (Europe), And RoHS Certified
- Input voltage: 220 - 240VAC. T8 electronic ballast have to be removed
- Under Driver Technology without any aluminium heat sink
- High Efficiency by saving 60% energy compares to the T8 fluorescent tube
- High Quality and stable, LED with no flickering, protect eyes effectively
- Plug and go, no need to warm up
- Low power consumption and high intensity
- Environmental friendly: without mercury, Ultraviolet(UV) and infra-red light
- Low maintenance cost, quality materials providing 25,000 hours using lifetime

# LUMAN

## [ECO]

LED T8 Tube  
Econ. Ver.



### Light in Weight


ECO is using under drive technology  
Providing high lumen output without any heatsink




With Luman Starter  
Embed fuse for protection  
(Single End Version)

## Specification

Input Voltage	220-240V
Length	2ft / 4ft
Power Consumption	9W / 18W
Lumens	100lm/W
Color Temperature	3000K / 4000K / 5500K
Beam Angle	>270°
CRI	>83
Cover	Polycarbonate
Base	G13(T8)
Size	



Dia. 28mm



2ft / 4ft



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [PRIME]

### Filament Light Bulbs Series



**LUMAN PRIME** is a new generation lighting for the real incandescent lamp replacement! Traditional outlook and saving up 90% of power.



- **High Brightness** up to 100lm per wattage
- Available in 1W-6W, low power consumption, equivalent to traditional 20W and 50W incandescent Light bulbs accordingly
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- High quality materials providing 25,000 hours lifetime
- **The First lamp with real approval!** Dekra certified with CE(Europe), CB(International), and RoHS standard








## Specification

	Bulb	Dome Candle
Input Voltage	220-240V	
Power Consumption	1.5W / 3.5W	3.5W
Lumens	100lm/W	
Color Temperature	2400K / 2700K / 4000K / 5500K	
Beam Angle	>360	
CRI	>93	
Cover	Glass	
Base	E27 / E14	

### Size



Bulb



Dome



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [MIRAGE]

### Glass MR16 Spot Light



**LUMAN MIRAGE** is an Ideal replacement of 50W halogen spot lamps saving up to 90%! Additional feature- the use of single chip on board, precise color consistence control catering for your higher advanced lighting requirement.

---



- The **First LED like Halogen** in the world!
- LED system powered by COB, up to 100lm/w high efficiency
- 5W power consumption but provide 550lm high brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 25,000 hours lifetime (L70)
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Plug and go, 12v MR16 comparable with most halogen transformer.

# LUMAN

## [MIRAGE]

### Glass MR16 Spot Light

#### Keep it original

The new Glass MR16 keeps the same size- looks no different.



#### High Brightness

You can't imagine how bright it is, and it looks as same as Halogen.



#### Lamp Base

Various options for Glass MR16  
GU5.3/GU10




## Specification

Model	MR16	GU10
Input Voltage	12V	220-240V
Power Consumption	5W	5W
Luminous	450lm / 500lm	500lm / 550lm
Color Temperature	3000K / 6000K	3000K / 6000K
Dimmable	Non Dimmable	
Body Color	Transparent	

Size



GU5.3 Version



GU10 Version



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [Loops II] MR16 COB Spot Light



**LUMAN Loops II** is an Ideal replacement of 30W-50W halogen spot lamps. Additional feature- the use of single chip on board, precise color consistency control catering for your higher advanced lighting requirement.



- The **Brightest** COB MR16 in the world !
- LED system powered by **SHARP** MICROELECTRONICS OF THE AMERICAS, with 90lm/w high efficiency
- 8W power consumption but provide 720lm high brightness
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 50,000 hours lifetime (L70)
- CE(Europe), CB(International), SAA (Australia) and RoHS
- Certified Pre-wired with flex and Plug for Quick installation





## Beam Angle

■ 25°



■ 60°



## Effective Heat Sink

High efficiency "Revolver" highlights heat sink design for perfect heat dissipation



## Easy Installation

Innovative Flex & Plug connection with LUMAN MR16 dimmable driver to complete retrofit the MR16 Halogen and traditional transformer



## Lamp Base

Various options for MR16  
GU5.3 / GU10 / Flex & Plug Base




## [Loops II] MR16 COB Spot Light

### Specification


Input Voltage	100-120V / 220-240V
Power Consumption	5W / 6W / 7W / 8W
Luminous	320lm / 450lm / 560lm / 700lm
Color Temperature	2700K / 3000K / 5000K
Dimmable	Triac and Leading Edge Dimming (10~100%)
Body Color	Gun

#### Size




63mm

Flex & Plug Version\*




59mm

GU10 Version



49mm

GU5.3 Version\*



35mm

49mm

\*External Dimmable Driver included



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [LUNA] A19 Light Bulbs



**LUMAN LUNA** is a new generation lighting for the real incandescent lamp replacement! Traditional outlook and saving up 90% of power.

---



- **High Brightness** up to 100lm per wattage
- Available in 5W, 7W, 9W and 11W low power consumption, equivalent to traditional 35W-100W incandescent Light bulbs accordingly
- Environmentally friendly: without mercury, Ultraviolet (UV) and infra-red light
- High quality materials providing 35,000 hours lifetime
- IEC 62560 EN/AS/NZ passed. CE (Europe) and RoHS standard



LUMAN

[LUNA]

A19 Light Bulbs


Full Plastic Bulb-Safe  
Hyperstatic and safe to touch

Light and Reliable  
Weight 51g / 65g / 75g

Lamp Base  
E27 / B22

## Specification

Input Voltage	220-240V
Power Consumption	5W / 7W / 9W / 11W
Lumens	450lm-480lm / 550lm-600lm / 800lm-850lm / 950lm-1000lm
Color Temperature	3000K - 5500K
Beam Angle	>32°
CRI	>80
Cover	Polycarbonate
Base	E27 / B22
Size	



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [PARIT]

### Par30 & Par38 LED Spot Lamp



**LUMAN PARIT** is available in 12W (PAR30) and 18W (PAR38), direct replacement of 50W/ 70W halogen PAR lamp. Light weight. Inherit LUMAN Revolver heat sink design, with special optic design "Duo Reflect", it gives excellent focused light beam for product display.



- Perfectly suited to be used as lighting for retail displays
- Available in 12W and 18W, low power consumption, it is equivalent to traditional 50W and 70W incandescent light bulbs accordingly
- Revolver passive heat sink structuring
- Environmental friendly: without mercury, Ultraviolet (UV) and infra-red light
- Quality materials providing 35,000 hours using lifetime
- Complied with CE (Europe) and RoHS standard

# LUMAN

## [PARIT]

Par30 & Par38  
LEP Lamp



Patented Duo-Reflector  
Maximize the brightness of LED Spot



PAR30


PAR38

Revolver Heat Sink Design  
High efficiency "Revolver" highlights heat sink design for perfect heat dissipation


## Specification

Input Voltage	220-240V
Power Consumption	12W / 18W
Lumens	90lm/W
Color Temperature	2700K / 3000K / 5000K
Beam Angle	13° / 25°
CRI	>83
Cover	Polycarbonate
Base	E27
Size	

PAR38



PAR30



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

# LUMAN

## [PL Tube]



**LUMAN PL Tube** is environmentally friendly alternatives replacing conventional CFL lamps.



- Hyperstatic and safe, 100-240VAC driver built-in
- Available in 5W/7W/10W, low power consumption, equivalent to traditional CFL accordingly
- Rotatable for 270°
- Environmental friendly: without mercury, Ultraviolet (UV) and infra-red light
- High quality materials providing 25,000 hours using lifetime
- Complied with CE (Europe) and RoHS standard

# LUMAN [PL Tube]







**Effective heat sink**  
Perfect heat dissipation for longer life time



**Rotatable**  
Flexible to light up various angle

## Specification

Input Voltage	220-240V
Power Consumption	5W / 7W / 10W
Lumens	100lm/W
Color Temperature	3000K / 4000K / 5500K
Beam Angle	120°
CRI	>83
Cover	Polycarbonate
Base	E27 / G24
Size	



For more information,  
Please visit [www.lumanlighting.com](http://www.lumanlighting.com)  
or call hotline 852 3909 8600

QUALITY



FLEXIBILITY



UNIQUENESS



**LED distribution** revendeur exclusif LUMAN pour la France

410 avenue Janvier Passero

06210 MANDELIEU

Tél: 04 92 97 00 00

[www.leddistribution.fr](http://www.leddistribution.fr)

[contact@leddistribution.fr](mailto:contact@leddistribution.fr)

**LUMAN LIGHTING LTD | HONG KONG**

Unit 709, Lakeside 2, Phase Two, No.10 Science Park West Avenue,  
HongKong Science Park, Shatin, New Territories, Hong Kong

T: (852) 3909 8600 F: (852) 3909 8601 E: [info@lumanlighting.com](mailto:info@lumanlighting.com)